


GRAFLEX®

Prize-Winning Cameras and Equipment



SERVICE PARTS PRICE • CATALOG

GRAFLEX, INC., Rochester, N. Y., U. S. A.

A SUBSIDIARY OF



GRAFLEX SERVICE DEPARTMENTS

These Departments are staffed with factory-trained workmen and equipped with proper facilities to service under warranty, adjust or repair all Graflex-made merchandise.

Much time will be saved if equipment is shipped by **Special Delivery**.

Be sure to supply complete instructions.

If unit comes within **warranty** period, **supply owner's name and date of purchase**.

Quotation estimate will be mailed promptly upon receipt and inspection of equipment, if requested. Return this promptly for speedy servicing of unit.

SHIP TO NEAREST ADDRESS

**Graflex, Inc.
89 Allen St.
Rochester 6, N. Y.**

**Graflex, Inc.
320 W. Ohio St.
Chicago 10, Ill.**

**Graflex, Inc.
50 Rockefeller Plaza
Suite 922
New York 20, N. Y.**

**Graflex, Inc.
800 N. Cole Ave.
P. O. Box 38606
Hollywood 38, Calif.**

KNOW YOUR NEW GRAFLEX PRICE CATALOG

At Graflex we believe that nothing is ever perfect, and as a result of this philosophy, we are constantly endeavoring to improve both our merchandising and our merchandise. You will notice that this price catalog is a great improvement over our former price list, and as a reference source should help you to sell more Graflex merchandise.

You, and anyone else responsible for sales should adequately review this price catalog to be familiar with its contents, so that you may take advantage of its sales building possibilities. First, you will note that in addition to the price of an item itself, we have added a complete selling description. Second, because the net prices are coded, this particular price catalog may be left on your counter for customers to look through; actually pre-selling merchandise for you. Results of a Graflex Dealer Survey indicated that list and coded net prices are desired, and that there is a distinct preference for one type of price coding. Such a system is already in use by one photo manufacturer, and is so well liked, that it will probably be adopted by others. The code number, or numbers, is included with the catalog listing in each instance.

Following is an example of a typical catalog listing. The first bracket contains the coded net price for a **single** item; the second bracket has the coded net price for each item when purchased in **quantities** indicated; the list price is in bold type.

Disregard these two figures, they are always dummies.

Change the hyphen to a decimal point and this is the net price when purchased in *single* units—\$50.38.

The List Price is always in bold type.

[8150-38] [3 ☐ 2046-50] Price **\$77.50**

This figure is the number of items required to earn quantity discount. (See page 2 for items which can be assorted)

This box (☐) indicates a shipping unit—"Quantity of 3", "Quantity of 12"—to which the net price applies when the item is purchased in these units. If this box (☐) appears it would indicate a case lot quantity and the net price applies to the indicated quantity of cases or more.

These two figures are dummies.

Change the hyphen to a decimal point and this is your net price each in the quantities indicated—\$46.50.

In this new Graflex price catalog, we have provided twelve individually indexed sections. Each section contains basic equipment and accessories available for it. You will find this indexing of great convenience in quickly acquainting the customer with complete information.

Because this price catalog is predicated on Graflex dealers' suggestions, we are sure you will find it useful in the promotion of the products listed in it. Remembering, however, our philosophy that nothing is ever perfect, we would appreciate your suggestions and ideas relative to any improvements we might make in a revised edition.

Excise tax, where it applies, is included in the printed prices and shown on a separate page. These amounts apply to lenses with focal lengths of 120mm or less and cameras weighing less than four pounds. The 3¼ x 4¼ and 4 x 5 cameras are thus excluded. Note that any accessory, factory attached, to a taxable camera, is also subject to the excise tax.

This price catalog supersedes all previous issues and older copies should be immediately discarded to avoid possible errors in making quotations. Act at once to REPRICE INVENTORY TO REALIZE FULL PROFITS.

GRAFLEX®

Prize-Winning Equipment

INCLUDING

**GRAPHIC®
GRAFLEX®**

**GRAFLITE®
GRAFLASH®
STROBOFLASH®**

*Except where otherwise indicated, all goods
herein listed are supplied by and shipped from:*

GRAFLEX, INC., Main Offices and Factories
154 CLARISSA STREET ROCHESTER 8, NEW YORK

OR FROM

WESTERN DIVISION

800 North Cole Avenue
HOLLYWOOD 38, CALIFORNIA

MIDWESTERN DIVISION

320 West Ohio Street
CHICAGO 10, ILLINOIS

All prices and conditions of shipment subject to change without notice.

GRAFLEX, INC., ROCHESTER 8, N.Y. U.S.A.

A SUBSIDIARY OF



TERMS AND CONDITIONS OF SALE

The net prices given herein apply only to Authorized Dealers in GRAFLEX*-made equipment, and are F.O.B., our plant or division at place of shipment unless otherwise indicated.

CASH DISCOUNT: An allowance of 2% cash discount will be made for payment of invoices on or before the tenth of the following month.

NET TERMS: If remittances are not received within the cash discount period, full payment is due thirty days from the end of the month of the invoice date.

Invoices dated the last two business days of a month, excluding Saturdays, are considered a part of the following month's billings.

QUANTITY DISCOUNTS: Quantity prices, applicable to Dealer purchases of Super D GRAFLEX* Cameras with lenses, Century*, Crown* and Speed GRAPHIC* Cameras with lenses, 4x5 GRAPHIC View II Cameras, GRAFLEX "22" Cameras, GRAPHIC 35 Cameras, Stereo GRAPHIC Cameras, GRAFLEX Constellation* Slide Projectors, and certain other products, are as indicated in the quantity net price listings on the applicable pages of the current GRAFLEX Price Catalog. Quantity prices are subject to the following:

(1) The indicated minimum quantity must be ordered at one time for shipment at one time to a single destination;

(2) The minimum quantity of cameras and slide projectors (to which the quantity prices are applicable) may be made up of an assortment of said cameras and slide projectors; but on the other indicated products, the quantity price will apply, unless otherwise indicated, only to the particular product, or model of a product, ordered in at least the minimum quantity indicated therefor,

(a) Any carrying case, whether ordered separately or as part of an outfit such as a Graphic 35 Outfit, or Graphic View may be included with separate camera and/or slide projector cases to earn quantity discount. Film holding accessories of a like type, such as roll holders (including Graphic Polaroid Back) or Grafomatics or film pack adapters for GRAFLEX Backs, can be combined with those for GRAPHIC and GRAFLOK Backs. In addition, all Graphic and Graflex sheet film and plate holders can be combined to earn quantity discount;

(3) Quantity prices are contingent upon the availability of at least the minimum quantity at the time of receipt of the order.

Direct shipments to Dealers' customers cannot be undertaken.

FEDERAL EXCISE TAXES: The Federal Excise Taxes, specifically imposed on the sale by the manufacturer of a photographic product subject thereto, are where applicable included in the net and list prices herein set forth. Exemptions therefrom, where applicable, may be obtained upon compliance with appropriate governmental regulations.

FEDERAL, STATE AND LOCAL TAXES: Except for the Federal Excise Taxes hereinbefore mentioned, the prices contained herein do not include any sales or use taxes or any other taxes measured by sales imposed by the Federal, or any state, county or municipal government or subdivisions thereof. Where applicable to our sale, such taxes will be payable by Dealer.

RESERVATIONS BY SELLER: We reserve the right at any time or times without notice to discontinue shipment to any of our customers, and to revoke or change any of the prices, discounts, classifications or other terms upon which sales are made, conditional upon any legal restrictions affecting the same. We also reserve the right to allocate the distribution of our products as may seem wise and equitable in our judgment. No adjustments will be made because of price changes.

NON-ASSIGNMENT OF ORDERS: No order accepted by us may be assigned by the buyer in whole or in part without the Seller's prior written consent.

ACCEPTANCE OF ORDERS AND NON-DELIVERY OR DELAYS: All orders whether in response to quotation or otherwise, are subject to acceptance at our Principal Office, Rochester 8, New York, or Divisional Offices, Chicago 10, Illinois, Hollywood 38, California, and their execution and/or delivery is contingent upon, and subject to cancellation by us by reason of, acts of God, acts, laws, regulations, orders, restrictions and/or prohibitions of the Government, new, different or increased sales, use or excise taxes, epidemics, quarantine restrictions, fires, floods, unusual weather conditions, strikes, differences with or shortages of workmen whether general or partial, accidents to machinery, consequences of foreign or domestic wars, hostilities or riots, delays or difficulties in transportation, embargoes, car shortages, our inability to secure raw materials, parts, components, packing materials, essential supplies, fuel, steam, water or electric power or light, or any other accidents or causes beyond our control, all wherever arising including without being limited to any of our plants or any plant from which we obtain or purchase components, parts or raw materials.

TRANSIT DAMAGE OR LOSSES: We assume no responsibility for any damage or loss in transit.

CLAIMS: Claims for shortages in packing must be made within five (5) days after receipt of shipment.

Claims for defective material or workmanship or for any cause allowed by us, must be made within fifteen (15) days from date of shipment. Defective material or workmanship will be replaced, repaired or credited at our option, but no claim for damage of any character resulting from use of the product, materials or work will be allowed.

GRAFLEX, Inc.

ROCHESTER 8, N. Y., U. S. A.

CONTENTS

	Page
Graflite	5
Graflite Accessories or Replacements	6
Graflite Components	7
Graflite Connecting Cords	8
Solenoids and Mounts	9
Teleflash	10
Graflash	11
Accessories for early model Graflex Synchronizer	12
Stroboflash Replacements	13
Holder Slides	14, 15
Lenses	16, 17, 18
Viewfinders	19
Lensboards	20, 21
Lens Kits	22
Rangefinders	23, 24
Sundries and Replacements	25, 26, 27, 28
Service Charges	29, 30, 31

CONTENTS

Page	
5	Griffin
6	Griffin Accessories or Replacements
7	Griffin Components
8	Griffin Connecting Cords
9	Griffin and Mounts
10	Griffin
11	Griffin
12	Accessories for early model Griffin Synthesizer
13	Griffin Replacements
14, 15	Griffin
16, 17, 18	Griffin
19	Griffin
20, 21	Griffin
22	Griffin
23, 24	Griffin
25, 26, 27, 28	Griffin and Replacements
29, 30, 31	Service Charges

GRAFLITE



GRAFLITE FLASH UNITS. Graflite is the finest, most versatile flash unit on the market today—It can be used with D size batteries or B-C cartridge. It is built for use with both synchronized and solenoid operated shutters (with addition of solenoid*) the high efficiency reflector can be adjusted for broad or beam lighting. Light in weight, beautifully styled and finished in smooth satin chrome—Choose

With 2 cell battery case, 7" reflector, less batteries.

Cat. No. 2727

Code [2714-07]

Code [2714-07]
Price **\$23.45**

With 3 cell battery case, 5" reflector, less batteries.

Cat. No. 2735

Code [2714-22]

Price **\$23.45**

Price **\$23.70**

With 3 cell battery case, 7" reflector.

Cat. No. 2737

Code [2714-22]

Price **\$23.70**

GRAFLITE JR. for cameras having built-in synchronization — gives maximum performance with either D size battery or B-C power. Specially designed for use on almost any camera with synchronized shutter. Light in weight, beautiful in appearance, it provides dependable performance with either standard battery or B-C circuits — Variety of mounting devices available for easy attach-

With Reflex Mounting Bracket No. 2760

Cat. No. 2851

Code [289-75]

Price **\$16.25**

With Graflite Heavy Duty Mounting Clamps No. 2771.

Cat. No. 2852

Code [2810-77]

Price **\$17.95**

GRAFLITE SYNCHRONIZERS. Graflite synchronizers are the same fine versatile flash units described under Graflite flash units but include battery case with clamps, reflector, solenoid and solenoid mount, plus listed connecting cord. **Order proper battery case support separately.** The multiple purpose circuit controller affords the selection of 3 circuits, allows increased voltage—Flash your lamps without need for solenoid

a Graflite—most complete, most versatile flash equipment you can own, includes battery case with clamps, and reflector indicated. Order battery case support and connecting cord separately. **With 2 cell battery case, 5" reflector, less batteries.**

ment to camera—Metal 2 cell battery case —3 standard household outlets—Use up to 10 Graflite extension units with B-C cartridge in series circuit — Supplied with 5" reflector — (7" reflector available) — Has push button lamp ejector—**With Universal Mounting Bracket No. 2757** less cord and battery.

Cat. No. 2850

Code [289-51]
Price **\$15.85**

adjustment or extra booster attachment—Attaches or removes from camera by pressing just one button—Uses either 5" Bayonet or 7" medium base reflector—Battery extension tubes are available where extra voltage is required—**With 3 cell battery case, 5" reflector, solenoid release with mount and 20" solenoid cord, less batteries.**

Cat. No. 2736

Code [2723-31]
Price **\$38.85**

With 3 cell battery case, 7" reflector, 20" solenoid cord, less batteries.

Cat. No. 2738

Code [2723-31]

Price **\$38.85**

With 3 cell battery case, 5" reflector, 36" solenoid Coiled Cord, less batteries.

Cat. No. 2836

Code [2824-78]

Price **\$41.30**

With 3 cell battery case, 7" reflector, 36" solenoid Coiled Cord, less batteries.

Cat. No. 2838

Code [2824-78]

Price **\$41.30**

Fitting charge for installing and synchronizing solenoid to wood or new light weight metal lensboards.

Cat. No. 9460

Code [941-50]

Price **\$1.50**

Fitting charge for installing and synchronizing solenoid to die cast metal lensboards.

Cat. No. 9461

Code [942-25]

Price **\$2.25**

*Solenoid should be battery operated only.

GRAFLITE ACCESSORIES OR REPLACEMENTS



RANGEFINDER ENCIRCLING BRACKET
for Anniversary 3 1/4 x 4 1/4 and 4 x 5
Graphics with Kalart or Hugo Meyer range-
finder.

Cat. No. 2752

Code [271-77]
Price \$2.95



**FLAT BATTERY CASE MOUNTING
PLATE** for Graflex cameras and all
Graphic 23 cameras with rangefinder.

Cat. No. 2754


Code [27-57]
Price \$.95



PAIR OF HANDLE LUGS, complete, for
use on Century Graphic Camera without
rangefinder to hold Graflite battery case.

Cat. No. 2756

Code [27-60]
Price \$1.00



PLATFORM BRACKET for small reflex
cameras—attaches to camera by engaging
tripod socket with 1/4-20 screw—Graflite or
Graflite Jr. attaches with heavy duty
mounting brackets.

Cat. No. 2759


Code [272-04]
Price \$3.40



REFLEX MOUNTING BRACKET — for
mounting flash units to small reflex cam-
eras — attaches to camera by engaging
tripod socket — flash unit attaches to
bracket with screw which engages bottom
of battery case.

Cat. No. 2760

Code [271-41]
Price \$2.35



7" GRAFLITE REFLECTOR for medium
screw base lamps — attaches to Graflite
extension flash unit, Graflite, and Graflite
Jr. flash units.

Cat. No. 2747

Code [274-17]
Price \$6.95



HINGED SHIELD complete, for 5" Graf-
lex and Graflite reflectors—prevents dan-
gerous flying glass from hitting subject
should flash lamp shatter.

Cat. No. 2746

Code [272-70]
Price \$4.50



DIFFUSION DISC for use with hinge
shield (Cat. No. 2746)—useful in providing
softer flash illumination.

Cat. No. 2744


Code [271-29]
Price \$2.15



RANGEFINDER ENCIRCLING BRACKET
for Pacemaker 34 and 45 Graphics with
Kalart or Hugo Meyer Rangefinder.

Cat. No. 2753


Code [271-77]
Price \$2.95



BATTERY CASE MOUNTING BRACKET
for Pacemaker and Anniversary Graphics
without rangefinder or Pacemaker Graphic
45 with Graphic Rangefinder. (Note: use
machine screws provided when mounting
on Pacemaker).

Cat. No. 2755

Code [271-17]
Price \$1.95



L BRACKET for Miniature and folding
cameras—attaches to camera by engaging
tripod socket—Graflite or Graflite Jr. at-
taches with heavy duty mounting clamps.

Cat. No. 2758

Code [272-08]
Price \$3.40



**UNIVERSAL (FLAT) MOUNTING
BRACKET** attaches to camera by engag-
ing tripod socket—attaches to flash unit
by screw which engages bottom of battery
case.

Cat. No. 2757

Code [271-17]
Price \$1.95



GRAFLITE EXTENSION FLASH with ad-
justable rubber covered spring clamp,
wired for battery (parallel) and B-C (series)
circuits, including 15' cord No. 2706, less
reflector.

Cat. No. 2778

Code [277-77]
Price \$12.95



**5" GRAFLITE ADJUSTABLE REFLEC-
TOR** with removable reflector shell, for
Bayonet flash lamps—attaches to Graflite
extension flash unit, Graflite and Graflite
Jr. flash units.

Cat. No. 2745

Code [274-17]
Price \$6.95



M-2 REFLECTOR INSERT to adapt M-2
flash lamps to No. 2745 or No. 2749 Graf-
lite or similar reflectors. Designed specifi-
cally for best use of M-2 flash lamps.

Cat. No. 2743

Code [271-17]
Price \$1.95

Box of 6 M-2 reflector inserts

Cat. No. 2742

Code [277-02]
Price \$11.70

GRAFLITE COMPONENTS



GRAFLITE JR. BATTERY CASE, only—replacement.

Cat. No. 2770


Code [275-25]
Price \$8.75



TOP AND BOTTOM CLAMPS for Graf-lite battery cases used on Graf-lite, Graf-lite Jr., and on mounting tube No. 2070.

Cat. No. 2771

Code [273-45]
Price \$5.75



1 CELL EXTENSION TUBE for Graf-lite battery case—may be used in multiple.

Cat. No. 2774

Code [271-50]
Price \$2.50



GRAFLEX B-C CARTRIDGE KIT, containing 10 Cat. No. 2795 B-C Cartridges, less battery for 2 cell, D size battery cases and 2 Cat. No. 2796 B-C Cartridges, less batteries, for 3 cell, size D battery cases.

Cat. No. 2794


Code [272-84]
Price \$46.40



3 CELL SPACER for Graflex B-C Cartridge when used in 3 cell battery cases.

Cat. No. 2797

Code [27-19]
Price \$.25



2 CELL GRAFLITE BATTERY CASE with clamps—replacement.

Cat. No. 2772

Code [2710-50]
Price \$17.50



3 CELL GRAFLITE BATTERY CASE with clamps—replacement.

Cat. No. 2773

Code [2710-65]
Price \$17.75



GRAFLEX B-C CARTRIDGE, less battery, for 2 cell battery case (size D).

Cat. No. 2795


Code [272-31]
Price \$3.85



GRAFLEX B-C CARTRIDGE, less battery, consisting of B-C Cartridge and spacer for 3 cell battery case (D size).

Cat. No. 2796

Code [272-37]
Price \$3.95



RIGHT ANGLE CONNECTOR PLUG for use on shutters having ASA bi-post sync shutter connections. Allows for use of connecting cords on cameras where cord can not be fitted straight on as in recessed lensboard for Graphic View.

Cat. No. 2588

Code [25-57]
Price \$.95

GRAFLITE CONNECTING CORDS

All Graflite Connecting Cords have molded two blade, right angle household plugs for fitting to Graflite and similar battery cases, with the exception of the Solenoid cords which have straight two blade male household type plugs.



20" SYNCHRONIZED SHUTTER CORD
—ASA double post for use with shutters having male ASA double post outlet.

Code [271-20]

Cat. No. 2701 Price \$2.00

36" Synchronized Shutter Cord

Code [271-20]

Cat. No. 2702 Price \$2.00



36" SYNCHRONIZED SHUTTER KOILED KORD — for use with shutters having ASA double post contacts. Coiled Kord extends to 36"—contracts to 13"—instantly ready for long or short cord application. Uses Cat. No. 2711 Coiled Kord Clip.

Code [282-37]


Cat. No. 2810 Price \$3.95



KOILED KORD CLIP SUPPORT for use with Coiled Kords—attaches to front standard of camera relieving strain from shutter contacts and solenoid mount.

Code [27-21]

Cat. No. 2711 Price \$3.35



15' EXTENSION CORD for connecting Graflite and similar flash units to side lighting unit. Has 2 blade male plug on either end—polarized.

Code [271-20]

Cat. No. 2706 Price \$2.00



20" CORD WITH PIN TIPS (twin tip) for use with Graflite, and Mendelsohn model G switch. Has two blade household plug on one end and twin tip fitting.

Code [271-20]


Cat. No. 2707 Price \$2.00



20" SHOE (B) CORD for Ciro 35 and universal Cameras.

Code [271-20]

Cat. No. 2718 Price \$2.00



20" SOLENOID CORD, standard cord for connecting solenoid to Graflite battery case.


Code [271-20]

Cat. No. 2703 Price \$2.00

36" Solenoid Cord

Code [271-20]


Cat. No. 2704 Price \$2.00



SOLENOID KOILED KORD, 36" fully extended—contracts automatically to 13"—instantly ready for long or short cord application. (Order No. 2711 Coiled Kord Clip Support).

Code [282-37]

Cat. No. 2809 Price \$3.95



UNICORD SHOE CORD for Graphic 35, Stereo Graphic, Graflex 22, and other similar cameras having clip fitting for flash unit. Allows use of Graflite, Strobflash, and other flash units.

Code [271-20]

Cat. No. 2723 Price \$2.00



36" BAYONET KOILED KORD (ASA) for Kodak 800, Graphic Synchro Compur and other shutters using ASA Bayonet fitting. Extends to 36"—contracts automatically to 13".

Code [282-37]

Cat. No. 2808 Price \$3.95



15' REMOTE CONTROL CORD with momentary switch allows tripping of solenoid from a distance through the use of Graflite synchronizer and solenoid.

Code [272-37]

Cat. No. 2720 Price \$3.95



20" CAP CORD, SMALL, for Compur Rapid (not Graphic Synchro Compur) and Prontor S and other shutters using 3mm PC fitting.

Code [271-20]


Cat. No. 2721 Price \$2.00

36" Cap Coiled Kord, Small

Code [282-37]

Cat. No. 2821 Price \$3.95

SOLENOIDS AND MOUNTS



2763
M-3



2762
M-2



2761
M-1



8049



2560
P-3




P-1



2561
P-2



Z



B



Y



A

2563

R-1 (AZ)

R-2 (BY)

2564

R-3 (AY)

CAMERA

2 1/4 x 3 1/4 Miniature	2563	—	—
3 1/4 x 4 1/4 Anniversary	2561	2561	2560
4 x 5 Anniversary	2561	2561	2561
Century	2763	—	—
Pacemaker "23"	2763	—	—
Pacemaker "34"	2762	2761	2761
Pacemaker "45"	2762	2762	2762
Graflex "22" Model 400	—	8049	—

GRAPHEX

No. 1	No. 2	No. 3
2563	—	—
2561	2561	2560
2561	2561	2561
2763	—	—
2763	—	—
2762	2761	2761
2762	2762	2762
—	8049	—

SUPERMATIC*

No. 1	No. 2	No. 3
2564	2564	—
2561	2561	2560
2561	2561	2561
2763	—	—
2763	—	—
2762	2761	2761
2762	2762	2762
—	—	—

DIAL SET COMPUR

No. 1	No. 2
—	—
2560	2560
2561	2560
—	—
—	—
2761	2761
2762	—
—	—

RIM SET COMPUR

No. 0	No. 1
2563	—
2561	2560
2560	2560
—	—
—	—
2761	2761
—	2762
—	—

ALL SOLENOID RELEASE MOUNTS

Specify from Chart above.

Code [99-90] Price \$1.50




GRAFLEX SOLENOID RELEASE, less mount for use with Grafite battery case for tripping and synchronization with Class M flash lamps—order release mounts separately.

Code [257-35]

Cat. No. 2531

Price \$12.25

TELEFLASH




TELEFLASH—an extremely useful accessory that saves time and adds important versatility to the professional or advanced amateurs' equipment. It is a "slave," B-C operated, extension flash for bayonet base flash lamps, triggered by a photo tube. It permits the use of multiple flash without any wired connections to the camera. The firing of any bayonet base flash lamp inserted into it is automatically synchronized with the flash lamp on the camera. No connecting cord is required. Insertion of the flash lamp

readies the unit for operation. Can be used in strong or weakly lighted areas—will not fire accidentally if room lights are suddenly turned on. If desired, the unit can be connected directly to the camera shutter as regular B-C flash unit. An extension outlet is provided for use of Graflite side light unit, with bayonet or medium base flash lamps. Complete with 4 batteries, C clamp, adjustable swivel and photo tube.

Code [2047-40]
Price \$79.00

Cat. No. 2024



TELECASE—a compact carrying case—holds 6 complete Teleflash outfits and 6 Pic stands—case size 28½ x 19 x 5¾. Attractive, luggage type design provides protection for

equipment from dust, dirt, and shock.

Code [2022-07] [3] 4720-37]

Cat. No. 2047


Price \$33.95

TELEFLASH ACCESSORIES

30 VOLT MINAMAX BATTERY No. 413 for Teleflash, replacement, (4 required) each.

Cat. No. 2091

Code [201-23]
Price \$1.75



ADJUSTABLE SWIVEL (replacement) for Teleflash—attaches Teleflash unit to C clamp allowing complete versatility of Teleflash movement.

Cat. No. 2081

Code [202-37]
Price \$3.95

C CLAMP replacement clamp for use with Teleflash.

Cat. No. 2078

Code [202-37]
Price \$3.95




PHOTO TUBE replacement (CE-86C) for Teleflash—bayonet fitting.

Cat. No. 2141

Code [213-71]
Price \$4.95

GRAFLITE EXTENSION FLASH

GRAFLITE SIDE LIGHTING UNIT. Indispensable accessory—Necessary for multiple flash photography — The addition of a second flash can add depth and modeling as well as additional illumination. The Graflite Side Lighting unit offers interchangeability of reflectors with other Graflite flash units, series and parallel circuits and portability. May be clamped to any convenient support with its

rubber covered spring clamp. May be used with Teleflash as well as Graflite and other similar flash units having common two blade household receptacles. Complete with 15' cord No. 2706. Order proper reflector separately.

Code [277-77]
Price \$12.95

Cat. No. 2778

NOTE: See Page F-2 for Reflectors.



GRAFLASH



GRAFLASH B-C. Special circuit eliminates flash failures and lengthens battery life—Extensions can be connected in series — Polished reflector provides full 60° of even light—Has lamp ejector—Modern, molded gray plastic body—Fitted with wide accept-

ance foot fitting most cameras including the Graphic 35, Graflex 22, Argus C-4, Stereo Realist, Revere Stereo (not Ciro 35), supplied less 22½ volt battery.

Code [805-17] [3⊞554-77]

Cat. No. 8055

Price \$7.95




M-2 GRAFLASH B-C. For M-2 flash lamps—Similar to Graflash B-C except has new high efficiency 3" reflector for most efficient use with M-2 lamps — Has push button lamp ejector and an extension outlet. Wide acceptance foot fits cameras having shoe type

contact such as the Graflex 22, Graphic 35, Stereo Realist, Revere Stereo, Argus C-4, and others (not Ciro 35).

Code [805-17] [3⊞474-77]

Cat. No. 8047

Price \$7.95




UNIVERSAL GRAFLASH B-C. Designed to meet the demand for high efficiency, low cost B-C flash unit. Useable with 35mm, folding, reflex and stereo cameras having synchronized shutter and standard tripod bushing. May be used with either Universal Mounting Bracket or platform reflex bracket.

Uses a long life 22½ volt battery—High efficiency reflector accepts Bayonet base flash lamps—Has pop out lamp ejector—Equipped with No. 2757 Universal Mounting Bracket, less cord and battery.

Code [806-47] [3⊞505-97]

Cat. No. 8050

Price \$9.95



GRAFLASH PL. Lowest cost Graflash available—Uses two inexpensive penlite batteries — Accepts Bayonet flash lamps — Has 5" polished reflector — Provides full 60° of

even light—Gray lacquer finish. **With special foot for Ciro 35 only.**

Code [804-23] [3⊞463-90]

Cat. No. 8046

Price \$6.50

ACCESSORIES FOR EARLY MODEL GRAFLEX SYNCHRONIZERS



5" REFLECTOR for Bayonet Base lamps—replacement for early Graflex model flash synchronizers.

Cat. No. 2541

Code [253-96]
Price \$6.60



7" REFLECTOR for medium base lamps—replacement for early model flash synchronizers.

Cat. No. 2542


Code [254-26]
Price \$7.10



2 CELL BOTTOM TUBE for Graflex battery case.

Cat. No. 2571


Code [251-65]
Price \$2.75



3 CELL BOTTOM TUBE for Graflex battery case.

Cat. No. 2570

Code [251-95]
Price \$3.25



4 CELL BOTTOM TUBE for Graflex battery case.

Cat. No. 2573

Code [252-31]
Price \$3.85



S-17-17" SOLENOID CORD for Graflex battery case.

Cat. No. 2515

Code [251-20]
Price \$2.00

S-36-36" Solenoid Cord

Cat. No. 2516

Code [251-20]
Price \$2.00



A-20-20" SYNC SHUTTER CORD (ASA bi-post) for Graflex battery case.

Cat. No. 2517

Code [251-20]
Price \$2.00



F-180 — 15' GRAFLEX EXTENSION CORD for use with Graflex synchronizers and Graflex side lighting unit.

Cat. No. 2519

Code [252-37]
Price \$3.95



O-17-17" CONNECTING CORD FOR GRAFLEX BATTERY CASE with pair of pin tips.

Cat. No. 2513


Code [251-20]
Price \$2.00



R-180-15' REMOTE CONTROL CORD with momentary switch for use with Graflex synchronizers—useful for remote tripping of shutter with solenoid.

Cat. No. 2500

Code [252-37]
Price \$3.95



GRAFLEX ENCIRCLING BRACKET for pre-1947 model Speed Graphic Cameras with screw in eye piece for use with Kalart model F Rangefinders (not required for model E-1 and E-2 Kalart Rangefinders, supplied less battery case slide).

Cat. No. 2551


Code [251-50]
Price \$2.30



GRAFLEX ENCIRCLING BRACKET for pre-1947 model Speed Graphic Cameras for Kalart model E and Hugo Meyer Rangefinders (not required for model E-1 and E-2 Kalart Rangefinders), supplied less battery case slide.

Cat. No. 2552

Code [25-85]
Price \$1.30



GRAFLEX ENCIRCLING BRACKET for rangefinder for Pacemaker Graphic Camera.

Cat. No. 2553


Code [251-50]
Price \$2.30



BATTERY CASE MOUNTING PLATE for Graflex flash unit on Super D Graflex Camera.

Cat. No. 2554

Code [25-68]
Price \$.90



BATTERY CASE MOUNTING PLATE for mounting Graflex battery cases on non-rangefinder equipped Pacemaker Graphic Cameras.

Cat. No. 2555

Code [25-68]
Price \$.90

STROBOFLASH REPLACEMENTS



ELECTROLYTIC CAPACITOR. Sprague 525mfd., 450 volts D.C. (No. 22D2) for Strobflash II. Power storage capacitor, 2 required, each. Code [2111-81]
Cat. No. 2186 Price \$15.75



FLASH TUBE for Strobflash lamp head (soldered fitting) replacement.

Cat. No. 2131 Code [215-40]
Price \$7.20



RECTIFIER, selenium No. 813, for battery booster (soldered fitting) replacement.

Cat. No. 2150 Code [215-21]
Price \$6.95



FUSETRON MDL2/10 for Strobflash II.

Cat. No. 2190 Code [21-19]
Price \$.25

FUSETRON MDL1/4 for Strobflash III and IV.

Cat. No. 2194 Code [21-19]
Price \$.25





PHOTO TUBE for Strobflash I, II, III, and IV (No. CE-84R) replacement for Strobflash Phototube assembly (2147).

Cat. No. 2142 Code [214-46]
Price \$5.95



PHOTOTUBE CARRYING CASE replacement for carrying Phototube assembly for Strobflash — constructed of plastic with foam rubber pad to guard against shock.

Cat. No. 2149 Code [21-45]
Price \$.60



225 VOLT BATTERY for Strobflash II, III, and IV, 2 required. Specially designed for electronic flash use — Heavy duty — Humidity protected.

Cat. No. 2092 Code [206-97]
Price \$9.95



ELECTROLYTIC CAPACITOR. Sprague 250mfd., 450 volts D.C. Power storage capacitor for Strobflash I, III, and IV. 2 used in Strobflash I, 8 in Strobflash III and IV, each.

Cat. No. 2187 Code [214-50]
Price \$6.00




PHOTO TUBE for Teleflash (No. CE-86C) replacement for Teleflash soldered fitting.


Cat. No. 2141 Code [213-71]
Price \$4.95



DOW CORNING No. 4 COMPOUND used to insulate against current leak. Apply sparingly to insulating surfaces to prevent shorting or arcing caused by moisture or dirt.

Cat. No. 2176 box of 4 Code [214-52]
Price \$6.00

One oz. tube Code [211-50]
Cat. No. 2175 Price \$1.50



TRIGGER TUBE for Strobflash I, II, III, and IV (RCA 5823) replacement.

Cat. No. 2155 Code [213-38]
Price \$4.50



PHOTOTUBE SOCKET for Phototube assembly (2147) replacement.

Cat. No. 2148 Code [213-19]
Price \$4.25



NICKEL CADMIUM battery for Nicad AC Converter—4 volts, rechargeable battery — operating range from —65° to +165° F.—life expectancy 15 years or approximately 80,000 flashes with Strobflash IV.

Cat. No. 2094 Code [2016-50]
Price \$22.00



240 VOLT BATTERY for Strobflash I, 2 required. These batteries are rechargeable. Specially designed for electronic flash use—Heavy duty—Humidity protected.

Cat. No. 2093 Code [205-57]
Price \$7.95




STROB X DEVELOPER to make one gallon. This developer was compounded to meet the requirements of high speed electronic flash. Packaged 6 quarts per case, each quart making one gallon of working solution, per quart.

Cat. No. 2180 Code [21-98] [30-80-90]
Price \$1.50

PLACE THE LOWER EDGE OF THE METAL
HANDLE OF THE SLIDE EVEN WITH TOP LINE.

PLACE EDGE OF SLIDE ON THIS LINE



HOLDER SLIDES

FOR GRAPHIC FILM AND PLATE HOLDERS

Cat. No.		Size	Code	Price
1412	2 1/4 x 3 1/4 Film	2 1/2 x 4 3/8	[14-36]	\$.55
1402	2 1/4 x 3 1/4 Film	2 1/8 x 4 5/8	[14-36]	.55
1472	2 1/4 x 3 1/4 Film—Type 4	2 1/8 x 4 13/16	[14-36]	.55
1442	2 1/4 x 3 1/4 Film—Type 5	2 1/8 x 4 7/8	[14-36]	.55
1413	3 1/4 x 4 1/4 Film and Plate	3 1/2 x 5 1/4	[14-39]	.60
1463	3 1/4 x 4 1/4 Film	3 1/2 x 5 1 1/2	[14-39]	.60
1473	3 1/4 x 4 1/4 Film—Type 4	3 1/8 x 5 25/32	[14-39]	.60
1443	3 1/4 x 4 1/4 Film—Type 5	3 1/8 x 5 1/4	[14-39]	.60
1414	4 x 5 Film and Plate	4 3/32 x 6	[14-42]	.65
1444	4 x 5 Film—Type 4, 5, and Riteway	4 3/32 x 6 1/16	[14-42]	.65
1644	4 x 5 Type 2 Color Film Use, for Type 4, 5 and Riteway	4 3/32 x 6 1/16	[16-49]	.75
1494	9 x 12 cm Film	4 3/32 x 6 3/16	[14-42]	.65

FOR GRAPHIC FILM PACK ADAPTER

1402	2 1/4 x 3 1/4	2 1/8 x 4 3/8	[14-36]	.55
1432	2 1/4 x 3 1/4—Model 2	2 1/8 x 4 27/32	[14-36]	.55
1433	3 1/4 x 4 1/4—Model 2	3 1/8 x 5 23/32	[14-39]	.60
1434	4 x 5—Model 2	4 7/32 x 6 1/2	[14-42]	.65

FOR GRAPHIC POLAROID BACK

1434	4 x 5	4 7/32 x 6 1/2	[14-42]	.65
------	-------	----------------	---------	-----

FOR GRAPHIC-GRAFLEX ROLL HOLDERS

1432	2 1/4 x 3 1/4 (No. 120)	2 3/8 x 4 27/32	[14-36]	.55
1417	3 1/4 x 4 1/4 (No. 120)	2 3/8 x 5 1/4	[14-39]	.60
1418	4 x 5 (No. 120)	2 3/8 x 5 11/16	[14-42]	.65

FOR GRAFLEX FILM AND PLATE HOLDERS

1412	2 1/4 x 3 1/4	2 1/2 x 4 3/8	[14-36]	.55
1413	3 1/4 x 4 1/4	3 1/2 x 5 1/4	[14-39]	.60
1414	4 x 5 Film	4 3/32 x 6	[14-42]	.65
1614	4 x 5 Type 2 for Color Film Use	4 3/32 x 6	[16-49]	.75
1424	4 x 5 Plate	4 3/32 x 6 3/32	[14-42]	.65
1415	5 x 7 Film	5 1/4 x 8 1/16	[14-49]	.75
1435	5 x 7 Plate	5 3/32 x 8 3/32	[14-49]	.75

FOR GRAFLEX FILM PACK ADAPTER

1402	2 1/4 x 3 1/4	2 1/8 x 4 3/8	[14-36]	.55
1432	2 1/4 x 3 1/4—Model 2	2 1/8 x 4 27/32	[14-36]	.55
1403	3 1/4 x 4 1/4	3 1/8 x 4 31/32	[14-39]	.60
1433	3 1/4 x 4 1/4—Model 2	3 1/8 x 5 23/32	[14-39]	.60
1404	4 x 5	4 1/32 x 5 11/16	[14-42]	.65
1434	4 x 5—Model 2	4 7/32 x 6 1/2	[14-42]	.65
1405	5 x 7	5 1/16 x 7 13/16	[14-49]	.75

FOR GRAFLEX FILM AND PLATE MAGAZINES

1452	2 1/4 x 3 1/4	2 7/16 x 4 7/16	[14-49]	.75
1453	3 1/4 x 4 1/4	3 3/16 x 5 7/16	[14-59]	.90
1454	4 x 5	4 x 6 3/8	[14-59]	.90
1491	5 x 7 Film and Plate	5 1/32 x 8 1/2	[41-75]	1.15


FOR STERLING PLATE AND FILM HOLDERS

1481	8 x 10 Film and 1482 8 x 10 Plate		[141-20]	1.85
1496	11 x 14 Film		[142-10]	3.25

FOR CENTURY PLATE AND FILM HOLDERS

1489	5 x 7		[14-55]	.85
1480	8 x 10		[141-07]	1.65

LENSES




90mm (3 1/2") GRAFLEX WIDE ANGLE OPTAR f/6.8 LENS. One of the most valuable lenses in any photographers kit. For group pictures, industrial photography, architectural shots, indoors and out, where ever you need a wider range, use the 90mm W.A. Optar. Fully color corrected, this lens produces sharp, undistorted black and white or

color pictures. Coated to reduce internal reflection and flare while greatly increasing contrast and detail. **Mounted in No. 1 full sync Graphex shutter**—has 31.5mm filter mount diameter—uses series 6 filters.

Cat. No. 221†

Code [2270-43]
Price \$106.65




100mm KODAK WIDE FIELD EKTAR f/6.3 LENS—primarily intended for use where a wide angle field is required with the same sharp highly corrected images as provided by normal lenses. Increased coverage permits a maximum use of camera swings without loss of image quality or danger of distortion commonly experienced with wide angle lenses. Angle of coverage is 75° at f/6.3 and 80° at stops smaller than f/11.

All air-glass surfaces are "Lumenized" for improved clarity and brilliance—also improves color purity when color transparencies or separations are made. **Mounted in No. 2 Flash Supermatic shutter** with adapter ring using series 7 filters. (Note: order insert ring or lens shade with filter).

Cat. No. 135†

Code [1391-00]
Price \$140.00




103mm GRAFLEX GRAFTAR f/4.5 LENS. Though relatively low in cost the Graflex Graftar lenses are the finest examples of the Cooke Triplet type on the market today. With due regard for the focal length, there has been no attempt to increase their speed beyond the practical limits of the design—the result being a lens of outstanding sharpness, resolution and contrast. The Cooke

Triplet has long been recognized as one of the finest lens types ever developed, and through modern lens design made possible by new optical glasses the Graflex Graftar is unsurpassed in its class. **Mounted in Century X-F-M shutter** — has 31.5mm filter mount diameter using series 6 filters.

Cat. No. 233

Code [2324-67]
Price \$37.95



101mm (4") KODAK EKTAR f/4.5 LENS—the choice of a really fine lens is perhaps the most important decision with respect to equipment the photographer is called upon to make. The lens quality plus the suitability of the lens for the task it is to perform will greatly affect the quality and type photograph made by the photographer. Kodak Ektar lenses have been designed, manufactured and mounted with infinite care, always remembering the professionals need for per-


fection. All air-glass surfaces have been "Lumenized" to minimize flare and its accompanying degradations of shadow areas and of color purity. These lenses meet the requirements of the most discriminating—**mounted in the Kodak Synchro Rapid 800 shutter** with adapter ring (order insert ring or lens shade with filter) using series 5 filters. TBI metal cable release supplied.

Cat. No. 136

Code [1364-03]
Price \$98.50

†Wide angle viewfinder (if required) See J-4.

LENSES



127mm (5") KODAK EKTAR f/4.7 LENS. These lenses are made to the highest of standards and to extremely minute manufacturing tolerances. Each air-glass surface is "Lumenized" to reduce flare and improve both clarity and brilliance. The photographer using a Kodak Ektar lens will find that it is up to his highest expectations and the negatives it produces will give him a high

standard of quality — slightly shorter than normal focal length when used on 4 x 5 giving greater angular coverage preferred by many photographers with minimum fall-off at corners. **Mounted in Graphic Synchro-Compur shutter** — has 38mm filter mount diameter using series 6 filters.

Code [1459-48]

Cat. No. 141

Price \$91.50

152mm (6") KODAK EKTAR f/4.5 LENS in No. 3 Kodak Supermatic [X] shutter with 44.5mm filter mount diameter using series 7 filters.

Cat. No. 151

Code [1568-90]

Price \$106.00



135mm (5 1/4") GRAFLEX OPTAR f/4.7 LENS. There is no escaping the fact that a camera's ability to produce a photographic image is only as good as its lens. As a professional photographer, you are acutely aware of craftsmanship and technical perfection that goes into every Optar lens. The Graflex Optar lens yields crisp, brilliant

images consistently. It is used for news and feature photography, sports, industrial, and pictorial work alike. **Mounted in No. 2 Graphex full sync shutter**, has 38mm filter mount diameter—uses series 6 filters.

Code [2464-35]

Cat. No. 244

Price \$99.00

Mounted in No. 2 Graphex (X) Shutter

Cat. No. 245

Code [2455-25]


Price \$85.00

162mm (6 3/8") GRAFLEX OPTAR f/4.5 LENS in No. 3 Graphex full sync shutter—has 44.5mm filter mount—uses series 7 filters.

Cat. No. 261

Code [2676-70]

Price \$118.00




203mm (8") KODAK EKTAR f/7.7 LENS. Intended for use on Graphic View II Camera. It is of the symmetrical air-space type which retains its corrections to a high degree when used for extreme close-ups. It gives extremely sharp definitions over the field for all subject distances at maximum aperture. Images are sharp and crisp out to the edges of the field—various color images are of

equal size because special attention has been given to color errors. All air exposed surfaces are "Lumenized" to improve the clarity and brilliance in black and white negatives and the color purity in color transparencies—**mounted in No. 2 Flash Supermatic shutter**—has 33mm filter mount diameter—using series 6 filters. Code [1760-13]

Cat. No. 173

Price \$92.50



202mm (8") GRAFLEX TELE-OPTAR f/5.6 LENS—advantage of this design is its short back focus enabling lens to be used on cameras with short bellows capacity. Cameras equipped with a Graflex Tele-Optar will produce close-ups otherwise impossible when equipped with normal focal length lenses. Sports events, nature study, travel, architecture, and news photography are just a few of the shots for which a Tele-Optar is ap-

plicable. The 8" Tele-Optar magnifies approximately 2 times more than a 4" focus lens. Each lens is coated, reducing internal reflections and flare, greatly increasing contrast and detail. **Mounted in No. 2 Graphex full sync shutter**—has 44.5mm filter mount diameter using series 7 filters.

Code [2799-13]

Cat. No. 271

Price \$152.50

Barrel Mounted (for Speed Graphics only)

Cat. No. 270

Code [2764-68]

Price \$99.50

LENSES



25cm (10") GRAFLEX TELE-OPTAR f/5.6 LENS—a medium telephoto lens giving approximately 2 more times magnification than a 5" lens. It offers an opportunity to greatly increase the scope of your work. Sports events, nature study, travel, architecture and news photography all have applications for

a Graflex Tele-Optar. Each lens is coated, reducing internal reflections and flare, greatly increasing contrast and detail. **Barrel mounted**—has 57mm filter mount diameter using series 8 filters (not for Crown Graphic).

Cat. No. 281

Code [2885-80]
Price \$132.00

IN NO. 3 GRAPHEX (X) SHUTTER

Cat. No. 283

Code [28109-85]


Price \$169.00

IN NO. 3 GRAPHEX FULL SYNC SHUTTER

Cat. No. 284

Code [28120-25]

Price \$185.00



38cm (15") GRAFLEX TELE-OPTAR f/5.6 LENS—a long telephoto lens giving approximately 3 more times magnification than a 5" lens — Essential for shooting news and sports events, travel photos, architectural and nature studies. Its long focus makes it ideal for portraiture. A Graflex Tele-Optar is to your camera what a good telescope is to your eye—it brings distant objects to you

enlarged to sharpest detail, offering opportunity to greatly increase the scope of your work. Coated, to reduce internal reflections and flare while greatly increasing contrast and detail. **Mounted in No. 4 Alphax Synchronized shutter**—has 82.5mm filter mount diameter using series 9 filters, lensboard extra.

Cat. No. 292


Code [29147-88]
Price \$227.50

BARREL MOUNTED (not for Crown Graphic)

Cat. No. 294

Code [29126-75]

Price \$195.00



152mm (6") KODAK EKTAR f/4.5 LENS. This lens is made to the highest of standards and to extremely minute manufacturing tolerances. Each air-glass surface is "Lumenized" to reduce flare and improve both clarity and brilliance. The photographer using a Kodak Ektar lens will find that it is up to his highest expectations and the nega-

tives it produces will give him a high standard of quality—mounted in Automatic diaphragm—has 44.5mm filter mount diameter using series 7 filters. (Supplied mounted on model A lensboard, cost additional, for 3 1/4 x 4 1/4 Super D Graflex Camera only).

Cat. No. 150


Code [1555-09]
Price \$84.75

LENSBOARD FOR 3 1/4 x 4 1/4 SUPER D

Cat. No. 9201

Code [92-81]

Price \$1.25



190mm (7 1/2") GRAFLEX OPTAR f/5.6 LENS. As a professional photographer, you are acutely aware of the craftsmanship and technical perfection that goes into every Optar lens. The Graflex Optar lens consistently yields crisp, brilliant images. It is used for feature photography, sports, industrial,

and pictorial work alike. **Mounted in Automatic diaphragm** with 44.5mm filter mount diameter using series 7 filters (Supplied only on a choice of the following lensboards—cost additional).

Cat. No. 275

Code [2755-09]
Price \$84.75

LENSBOARD FOR 3 1/4 x 4 1/4 SUPER D (Closest working distance—5 feet)

Cat. No. 9201

Code [92-81]

Price \$1.25

LENSBOARD FOR 4 x 5 SUPER D

Cat. No. 9202

Code [92-91]

Price \$1.40

VIEWFINDERS



SHORT OPTICAL VIEWFINDER with mask. Requires No. 9133 mounting clip to mount on camera. Specify lens when ordering so that proper mask may be supplied.
Cat. No. 9131 Code [914-55]
Price \$7.00



LONG OPTICAL VIEWFINDER with mask. Requires No. 9133 mounting clip to mount on camera. Specify lens when ordering so that proper mask may be supplied.
Cat. No. 9132 Code [914-55]
Price \$7.00




MOUNTING CLIP FOR OPTICAL VIEWFINDERS mounts short optical viewfinder, long optical viewfinder, or wide angle viewfinder on camera.

Code [91-26]
Cat. No. 9133 Price \$.40



MASKS FOR OPTICAL VIEWFINDER. Masks viewfinder area to conform with negative image for different film size and different focal length lenses. Specify film size and lens focal length when ordering. Note: See below for mask chart.

Code [91-20]
Cat. No. 9105 Price \$.30



ADJUSTABLE BODY RELEASE ARM to operate No. 1, No. 2, and No. 3 size Graphex shutters on Graphic 45's. Adjustable without use of screwdriver. (Note: No. 1 Graphex shutter may be rotated slightly from normal position on lens-board).
Code [941-46]
Cat. No. 9482 Price \$1.95

Table Showing Standard Masks and Lenses

For Various Film Sizes (not camera size)

2 1/4x3 1/4	3 1/4x4 1/4	4x5	Mask Number	2 1/4x2 1/4 Lens
3 1/4" - 3 7/8"	4 1/2" - 4 3/4"	5" - 5 7/8"	4	3 1/2" - 4 1/2"
3 1/2" - 4 1/2"	4 3/4" - 5 1/4"	5 1/8" - 6 3/8"	3	4 9/16" - 5"
4 1/8" - 5"	5 1/8" - 6"	6 1/8" - 6 3/4"	2	5 1/8" - 6"
5 1/8" - 6"	6 1/8" - 8 1/2"	6 1/2" - 8 1/2"	9	6 1/8" - 8"
6 1/8" - 7 1/2"	7 1/8" - 8"	8 1/8" - 9 1/2"	10	9 1/8" - 11 7/8"
7 1/8" - 7 3/4"	8 1/8" - 8 1/2"	9 1/8" - 10 1/2"	11	
7 3/8" - 9 1/2"	8 3/8" - 12"	10 1/8" - 13 1/2"	8	
9 1/8" - 11 7/8"	12 1/8" - 13 7/8"	13 1/8" - 15"	7	
11 1/8" - 13"	13 1/8" - 16"	15 1/8" - 16 7/8"	6	
	16 1/8" - 20"	16 1/8" - 20"	5	

Masks for Wide Angle Viewfinders

Negative Size

Mask	W. A. Lens	2 1/4x3 1/4	3 1/4x4 1/4	4x5
12	65mm	4	*	**
14	90mm	**	4	none required
15	88mm	**	4	none required
17	80mm	3	4	**
13	100mm	**	3	4

*We do not have a mask recommended for the 65mm lens when used with the Crown Graphic "34" Camera, since this lens includes considerably more angle of view than can be seen through the viewfinder with no mask at all.

**Lens indicated not recommended for use with this camera.

SHUTTER DATA

Shutter	Speeds	Built-in Synchronization			Sync. Shutter Cord	possible † solenoid use
		X	F	M		
Century (Current)	1/10-1/200 T&B	All Speeds	1/10-1/100	1/10-1/25	2701	No
Century (Early Model)	1/10-1/200 T&B	*	All Speeds	1/10-25	2701	No
No. 1 and No. 2 Graphex-full Sync.	1 sec.-1/400 T&B	All Speeds	1 sec.-1/50	All Speeds	2701	Yes
No. 3 Graphex-full Sync.	1 sec.-1/200 T&B	All Speeds	1 sec.-1/50	All Speeds	2701	Yes
No. 1 and No. 2 Graphex (X)	1 sec.-1/400 T&B	All Speeds	No	No	2701	Yes
No. 3 Graphex (X)	1 sec.-1/200 T&B	All Speeds	No	No	2701	Yes
No. 1 Graphic Synchro-Compur	1 sec.-1/400 T&B	All Speeds	1 sec.-1/50	All Speeds	2808	Yes
No. 4 Alphax sync.	1/2-1/50 T&B	All Speeds	No	All Speeds	2701	No
No. 1 and No. 2 Flash Supermatic	1 sec.-1/400 T&B	All Speeds	All Speeds	All Speeds	2701	No
No. 2 Supermatic (X)	1 sec.-1/400 T&B	All Speeds	No	No	2701	Yes
No. 3 Supermatic (X)	1 sec.-1/200 T&B	All Speeds	No	No	2701	Yes
Synchro. rapid (800)	1 sec.-1/800 B	All Speeds	1 sec.-1/400	All Speeds	2808	No
No. 2 Acme Synchro	1 sec.-1/300 T&B	All Speeds	All Speeds	All Speeds	2701	No

Note: High speed electronic flash units tripped by a mechanical relay should be used in connection with solenoid operation only.

*Consult manufacturer of unit for special 5 ms synchronizing accessory

†Use 2703 connecting cord with solenoid

LENSBOARDS

These aluminum lensboards are precision-made, and may be ordered in prefabricated form ready to accept a specific lens or lens and shutter combination. Each lensboard supplied for a specific lens and shutter has the opening for the locating pin and detents on the reverse side to facilitate the attachment and proper location of one of the GRAFLEX solenoid mounts. Each such finished lensboard is supplied in the form of a kit complete with suitable shutter release arm to be actuated by the body release, where applicable when requested, or supplied with lens ordered from Graflex, Inc. When lensboard is fitted to taxable lens (less than 12cm) excise tax in the amount of 10% of the net price becomes applicable to list and net prices.

CENTURY

BRIGHT		BLACK		Opening	Used For	Code	Price
Cat. No.	Part No.	Cat. No.	Part No.				
9151	30854 14	9161	30854 9	BLANK		[91-55]	\$.85
9239	30854 19	9162	30854 8	.960	CENTURY SHUTTER	[92-55]	.85
9157	30854 7	9163	30854 13	1.660	No. 3 WOLLENSAK, GRAPHEX	[92-72]	1.10
9242	30854 3	9164	30854 10	1.190	No. 1 KODAK SUPERMATIC	[91-55]	.85
9240	30854 4	9165	30854 11	1.190	No. 1 WOLLENSAK, GRAPHEX	[92-55]	.85
9243	30854 5	9166	30854 12	1.390	No. 2 KODAK SUPERMATIC	[92-55]	.85
9241	30854 2	9167	30854 16	1.343	No. 2 WOLLENSAK, GRAPHEX SHUTTER	[92-55]	.85
9244	30854 18	9168	30854 17	1.190	KODAK 800 SHUTTER	[92-55]	.85

PACEMAKER "23"

Cat. No.	Part No.	Opening			
9151	30854 14	BLANK		[91-55]	.85
9152	30854 2	1.343	No. 2 WOLLENSAK, GRAPHEX	[91-72]	1.10
9153	30854 3	1.190	No. 1 KODAK SUPERMATIC	[91-72]	1.10
9154	30854 4	1.190	No. 1 WOLLENSAK, GRAPHEX	[91-72]	1.10
9155	30854 5	1.390	No. 2 KODAK SUPERMATIC	[91-72]	1.10
9156	30854 6	1.817	10" TELE OPTAR IN BARREL	[91-72]	1.10
9157	30854 7	1.660	No. 3 WOLLENSAK, GRAPHEX	[91-72]	1.10
9158	30854 15	1.602	8" TELE OPTAR IN BARREL	[91-72]	1.10
9159	30854 18	1.190	800 KODAK SHUTTER	[91-72]	1.10

PACEMAKER "34"

	Opening			
9171	30853 9	BLANK		[91-65] 1.00
9172	30853 2	1.190	No. 1 KODAK SUPERMATIC	[91-81] 1.25
9173	30853 3	1.765	No. 3 KODAK SUPERMATIC	[91-81] 1.25
9174	30853 4	1.660	No. 3 WOLLENSAK, GRAPHEX	[91-81] 1.25
9175	30853 5	1.390	No. 2 KODAK SUPERMATIC	[91-81] 1.25
9176	30853 6	1.343	No. 2 WOLLENSAK, GRAPHEX	[91-81] 1.25
9177	30853 7	1.190	No. 1 WOLLENSAK, GRAPHEX	[91-81] 1.25
9170	30853 11	1.541	No. 1 GRAPHIC SYNCHRO-COMPUR	[91-81] 1.25
9178	30853 8	1.817	10" TELE OPTAR IN BARREL	[91-81] 1.25
9179	30853 10	1.602	8" TELE OPTAR IN BARREL	[91-81] 1.25

PACEMAKER "45"

	Opening			
9181	30852 11	BLANK		[91-72] 1.10
9182	30852 2	1.190	No. 1 KODAK SUPERMATIC	[91-88] 1.35
9183	30852 3	1.765	No. 3 KODAK SUPERMATIC	[91-88] 1.35
9184	30852 4	1.660	No. 3 WOLLENSAK, GRAPHEX	[91-88] 1.35
9185	30852 5	1.390	No. 2 KODAK SUPERMATIC	[91-88] 1.35
9186	30852 6	1.343	No. 2 WOLLENSAK, GRAPHEX	[91-88] 1.35
9187	30852 7	1.190	No. 1 WOLLENSAK, GRAPHEX	[91-88] 1.35
9188	30852 9	1.817	10" TELE OPTAR IN BARREL	[91-88] 1.35
9189	30852 10	2.630	15" TELE OPTAR IN BARREL	[91-88] 1.35
—	30852 8	1.916	No. 3 ILEX	[00-88] 1.35
9190	30852 14	1.541	No. 1 GRAPHIC SYNCHRO-COMPUR	[91-88] 1.35
9191	30852 16	1.368	No. 0 Compur	[91-88] 1.35

Catalog Numbers include lensboard and appropriate shutter release arm for PM body release, where applicable.
Part Numbers refer to lensboard only.

LENSBOARDS FOR GRAFLEX AND ANNIVERSARY GRAPHICS

		Model	Size	Code	Price
For R.B. Auto GRAFLEX Models					
9201	3 1/4 x 4 1/4	"A"	3 1/4 x 3 1/4	[92-81]	\$1.25
9202	4 x 5	"B"	3 3/4 x 3 3/4	[92-91]	1.40
For R.B. Series D and Super D GRAFLEX					
9201	3 1/4 x 3 1/4	"A"	3 1/4 x 3 1/4	[92-81]	1.25
9202	4 x 5	"B"	3 3/4 x 3 3/4	[92-91]	1.40
9217*	4 x 5 [For 15" GRAFLEX Tele-Optar f/5.6 lens]	"B"	3 3/4 x 3 3/4	[922-47]	3.80
For 4 x 5 GRAPHIC View Camera					
9231*	Blank		4 x 4	[922-47]	3.80
9234*	Recessed for 90mm W.A. Optar Lens.		4 x 4	[922-47]	3.80
For Speed GRAPHIC camera Models: Pre 1947					
9249	2 1/4 x 3 1/4 Miniature	"H"	2 1/2 x 2 1/2	[92-81]	1.25
9212	2 1/4 x 3 1/4 (Miniature For 10" GRAFLEX Tele-Optar f/5.6 lens) . . .	"H"	2 1/2 x 2 1/2	[925-79]	8.90
9201	3 1/4 x 4 1/4 (Made since 1935)	"A"	3 1/4 x 3 1/4	[92-81]	1.25
9203	4 x 5 (Made since 1930)	"C"	4 x 4	[92-98]	1.50
9203	5 x 7 (Made since 1933)	"C"	4 x 4	[92-98]	1.50
9226*	4 x 5 and 5 x 7 (For 15" GRAFLEX Tele-Optar f/5.6 lens).		4 x 4	[922-47]	3.80

*Metal Lensboard

Lensboards for Pacemaker Crown and Speed GRAPHICS "23", "34", "45" Listed in Section J.

LENS KITS

Total Cost of Extra Items for Extra Lenses Purchased from Graflex for use with following cameras. Items include lensboard, focusing scales, infinity stops, and viewfinder mask. Customer's lens must be available for inspection at a Graflex Service Sales Department. See Page J-7, for cams for Graphic Rangefinder.

See pages noted for details.

Order by kit number.


Order Extra Items by "Lens Kit No."	Century "23"			Pacemaker "23"			Pacemaker "34"			Pacemaker "45"		
	Section D			Section D			Section D			Section E		
	Kit. No.	Code	Price	Kit. No.	Code	Price	Kit. No.	Code	Price	Kit. No.	Code	Price
Replacement lens of standard focal length.....	94311	[942-26]	\$3.06	94321	[942-44]	\$3.32	94331	[942-31]	\$3.25	94341	[942-38]	\$3.35
Telephoto in barrel (Speed Graphic only).....	—	—	—	94322	[943-22]	4.50	94332	[943-31]	4.65	94342	[943-38]	4.75
202mm Tele-Optar in shutter.....	94313	[943-05]	4.25	94323	[943-22]	4.50	94332	[943-31]	4.65	—	—	—
25cm Tele-Optar in shutter.....	94314	[943-22]	4.50	94324	[943-22]	4.50	94332	[943-31]	4.65	94349	[943-38]	4.75
38cm Tele-Optar in shutter.....	—	—	—	—	—	—	—	—	—	94345	[943-38]	4.75 ¹
Additional long lens in No. 2 or No. 3 shutter.....	94316	[943-05]	4.25	94326	[943-22]	4.50	94336	[943-31]	4.65 ³	94346	[943-38]	4.75 ³
Additional long lens in No. 4 shutter.....	—	—	—	—	—	—	—	—	—	94347	[943-38]	4.75 ¹
Wide Angle lens.....	94318	[943-14]	4.24	94328	[943-22]	4.50	94338	[943-42]	4.66	94348	[943-50]	4.77 ¹
Wide Angle lens with space for only 1 infinity stop.....	94319	[942-70]	3.65	94329	[942-88]	3.91	94339	[942-98]	4.07	94399	[943-06]	4.18

¹ Body release arm not supplied.

³ Body release not usable with No. 3 and No. 4 Ilex Acme Synchro Shutters.

² Order separately 9106 Wide Angle Viewfinder, See Page J-4.

RANGEFINDERS AND ACCESSORIES FOR GRAPHIC CAMERAS



GRAPHIC RANGEFINDER with Rangelite and parallax correcting viewfinder factory installed on Pacemaker Crown and Speed Graphic 45. Can be accurately matched to all Graflex listed and other wide angle, normal and telephoto lenses. It is rugged, and exceptionally stable under shock and temperature changes. Parallax correcting optical viewfinder operates automatically in synchronization with rangefinder — Special

wide angle attachment fits onto the viewfinder for use with shorter focal length lenses. Built-in Rangelite for rangefinder focusing in dark—Focus obtained when two light beams projected through rangefinder windows converge on subject—Operates from two penlite batteries. Factory installed only. (See Section E for listing of cameras with rangefinders fitted). Code [3025-97] [30223-97] Cat. No. 3002 Price \$39.95



CAMS for lenses having focal length of 90mm and from 127mm to 165mm inclusive plus 202mm and telephoto lenses of 25cm and 38cm focal length. Service Charge No. 9473 applicable. Code [301-50] Cat. No. 3011* Price \$2.00




CAMS (special) for lenses of focal lengths other than those included in listing No. 3011 and falling within the range of 88mm to 380mm. Service Charge No. 9473 applicable. Code [306-00] Cat. No. 3014 Price \$8.00


SERVICE CHARGE for optically measuring exact focal length of lens. No Service Charge applicable to cam ordered for lens at time of purchase of lens from Graflex.

Cat. No. 9473

Price \$2.00




GRAPHIC RANGESCOPE (1.5 X power) for Graphic Rangefinder—Magnifies rangefinder image making more critical focus possible. Code [301-92] [30551-77] Cat. No. 3055 Price \$2.95



WIDE ANGLE VIEWFINDER ADAPTER. Adapts all Pacemaker optical viewfinders to show the field of view of the wide angle lenses available for these cameras. Slips in front of viewfinder lens the same as a mask. Code [303-22] [30602-97] Cat. No. 3060 Price \$4.95

*When a Graphic 45 is ordered with more than one factory supplied and fitted lens or customer supplied lens, the cam for the first lens is included in the price of the rangefinder, provided the lenses are presently listed by Graflex or prove to be of like focal length.



KALART RANGEFINDER. The Kalart lens coupled Rangefinder was originally designed for press photographers. Properly adjusted to your lens, it provides sharp, critical focusing automatically — it is more accurate than ground glass focusing because critical sharpness of the image on the ground

glass can only be determined by the use of a magnifier. Supplied separately with connecting arm for camera indicated. (Note: Specify Camera and lens when ordering). E-6-X with connecting arm for 2 1/4 x 3 1/4 Miniature Speed Graphic. Code [3117-97] Cat. No. 3104† Price \$29.95

E-6-X with connecting arm for Pacemaker 23

Cat. No. 3105†

Code [3117-97]

Price \$29.95

E-6-C with connecting arm for Century

Cat. No. 3102†

Code [3117-97]

Price \$29.95

E-6-A with connecting arm for 127-135mm lenses

Cat. No. 3106†

Code [3117-97]

Price \$29.95

E-6-A with connecting arm for 6" to 6 1/2" lenses

Cat. No. 3107†

Code [3117-97]

Price \$29.95

E-6-A with connecting arm for 8" to 8 1/2" lenses

Cat. No. 3108†

Code [3117-97]

Price \$29.95

†When ordering Kalart rangefinders separately for Graphics, order must specify camera model; Pre-Anniversary, Anniversary, Pacemaker or Century Graphic, to which rangefinder is to be fitted.

RANGEFINDERS AND ACCESSORIES FOR GRAPHIC CAMERAS



KALART RANGEFINDERS. Factory fitted as original equipment on Century or Pacemaker Graphic 23 (includes Federal Excise tax applicable).

E-6-X for 101-105mm lenses on Pacemaker 23 Graphics. Code [3121-75]
Cat. No. 3103 Price \$36.25

E-6-C for 101-105mm lenses on Century Graphics.

Cat. No. 3101

Code [3121-75]

Price \$36.25

INSTALLATION AND SYNCHRONIZATION of Kalart Rangefinders on Miniature Anniversary, Pacemaker and Century Graphics. Note: Rangefinders factory fitted as original equipment on Century or Pacemaker Graphic 23 Cameras, include Excise Tax applicable.

Cat. No. 9466

Code [943-00]

Price \$3.00



KALART FOCUSCOPE (1.6X magnifying eye tube) for model K and E Rangefinders — Magnifies rangefinder image making more critical focus possible.

Code [311-77]

Cat. No. 3155

Price \$2.95



FLAT GRAFLITE BATTERY CASE MOUNTING PLATE for cameras with Kalart Rangefinder, installed.

Code [27-57]

Cat. No. 2754

Price \$.95




KALART FOCUSPOT MODEL G for Graflite battery case, with cord, installed. Projects light through the rangefinder for fast focusing under poor light conditions. When lamp filament image merges on subject, proper focus has been obtained.

Code [315-97]

Cat. No. 3173

Price \$9.95



CONNECTING CORD for Focuspot to connect to Graflite battery case.

Code [31-96]

Cat. No. 3153

Price \$1.60




KALART FOCUSPOT MODEL A-1. Same as above for use with older Graflex battery case with cord.

Code [315-97]

Cat. No. 3170

Price \$9.95



CONNECTING CORD for Focuspot to connect to older Graflex battery case.

Code [31-96]

Cat. No. 3152

Price \$1.60



HUGO MEYER SERIES P RANGEFINDER. Supplied separately for Pacemaker Graphic Cameras. Specify camera model and focal length of lens when ordering. For 125mm

to 135mm focal length lenses on Pacemaker 34.

Code [3119-00]

Cat. No. 3125

Price \$28.50

For 125mm to 135mm focal length lenses on Pacemaker 45.

Cat. No. 3126

Code [3119-00]

Price \$28.50

For 150mm focal length lenses on Pacemaker 45.

Cat. No. 3127

Code [3119-00]


Price \$28.50

INSTALLATION AND SYNCHRONIZATION of Hugo Meyer Rangefinders on Pacemaker 34 or 45.

Cat. No. 9470

Code [943-00]

Price \$3.00




FOCALITE for use with Graflite battery case with cord for Hugo Meyer Rangefinder — Projects beam of light through rangefinder — When beams converge on subject, proper focus has been obtained.

Code [316-85]

Cat. No. 3143

Price \$10.25




CONNECTING CORD for Focalite to Graflite battery case.

Code [311-60]

Cat. No. 3133

Price \$2.40



FOCALITE for use with Graflex battery case, with cord for Hugo Meyer Rangefinder—Projects beam of light through rangefinder—When beams converge on subject, proper focus has been obtained.

Code [316-85]

Cat. No. 3140

Price \$10.25




CONNECTING CORD for Focalite to older Graflex battery case.

Code [311-60]

Cat. No. 3132

Price \$2.40

SUNDRIES AND REPLACEMENTS



GRAFLEX SPEED TRIPOD. Exclusive features of the Speed Tripod provide advantages that help any photographer set up more quickly than ever before. It only takes $\frac{1}{3}$ as many motions to get your camera into shooting position. Exclusive guide on adapter attaches to camera — slips into position on tripod head — large locking disc secures camera. Adapter fits any camera, protects camera from excessive wear because it need

not be removed when the camera and tripod are dismantled. 3-D pan head locks at any point from full left to full right — permits instant leveling of camera from any angle on uneven ground without having to move or adjust tripod legs — has double extension center column "extend-a-lock" legs—"leg tamer strap" — permanently anodized aqua color.

Code [8013-50]

Cat. No. 8094

Price \$22.50

Extra Guide on Adapter

Cat. No. 8095

Code [80-53]

Price \$.70




GRAPHIC PAN TILT TRIPOD HEAD for larger tripods and stands. Tilting and rotating movements are controlled and locked by a single handle—head is so designed that it can be half locked with the camera held in position with sufficient looseness to permit altering its position. Top of pan tilt head is

$2\frac{1}{8}$ " square—circular base has $3\frac{1}{2}$ " diameter—tilts 100° forward and 25° back—rotates a full 360° —die cast construction—base has rubber pad.

Code [4612-25] [3 1011-31]

Cat. No. 4610

Price \$18.85



GRAFLOK DIVIDING BACK — for 4 x 5 Graflok Backs makes it possible to use a standard 4 x 5 Graphic film holder with the Graflok back on his Graphic camera to make 2 exposures on each film. Each half of the film will be centered on the optical axis as the exposure is made and this completely eliminates the problem of distortion. Useful in identification where full face and profile type photos are standard as with

Police Departments. A 50% saving in film cost can thus be realized. When the dividing back is used, the focusing panel should be transferred to the back of the dividing back for focusing although another set of infinity stops could be fitted to the bed so that the focusing scales and rangefinder could be used with the dividing back in position.

Code [9119-18]

Cat. No. 9109

Price \$29.50

Graflex Dividing Back for all 4 x 5 Graflex Backs

Cat. No. 9014

Code [9015-37]

Price \$23.65



GRAFLARGER comparatively inexpensive but tremendously useful accessory — converts any Graphic camera into an efficient cold light enlarger in mere seconds! It's the answer to the problem of how to make fine enlargements from your negatives without heavy, bulky and costly dark room equipment! Completely portable—it may be used as a light source for retouching stand or an

emergency contact printer—includes Aristo Cold Grid Light in a light weight lamp house — glassless negative carrier — and heavy duty transformer with an off-on switch — Underwriter's Laboratory approved — for 4 x 5 Graphic, Graflok and Graflex backs.

Code [6025-84] [3 1923-85]

Cat. No. 6019

Price \$39.75

For $3\frac{1}{4}$ x $4\frac{1}{4}$ Backs

Cat. No. 6018

Code [6025-84] [3 1823-85]

Price \$39.75

For $2\frac{1}{4}$ x $3\frac{1}{4}$ Backs

Cat. No. 6017

Code [6025-84] [3 1723-85]

Price \$39.75

22 ($2\frac{1}{4}$ x $2\frac{1}{4}$) Negative Carrier for Graflarger 23

Cat. No. 6022

Code [601-33]

Price \$2.05

22 ($2\frac{1}{4}$ x $2\frac{1}{4}$) Negative Carrier for Graflarger 45

Cat. No. 6026

Code [601-33]

Price \$2.05

23 ($2\frac{1}{4}$ x $3\frac{1}{4}$) Negative Carrier for Graflarger 45

Cat. No. 6027

Code [601-33]

Price \$2.05

SUNDRIES AND REPLACEMENTS



GRAFLARGER STAND attaches to Century, Crown, or Speed Graphics in a very few seconds. Used with Graflarger for enlarging purposes or with camera only for copying. May be bolted down to bench for permanent mounting or may be mounted on

Graflarger baseboard. 30" high, consists of base, column, and camera mounting brackets. (Illustrated on Baseboard No. 6039).

Cat. No. 6040


Code [6012-68]
Price \$19.50

Baseboard for Graflarger Stand

Cat. No. 6039

Code [608-29] [3□397-65]

Price \$12.75




GRAFLEX ALL PURPOSE STAND offers great versatility — holds photo floods-flash and Strobflash securely—quickly adaptable for use as a boom light or to hold screen, reflector or back ground drop — adjustable tripod leg offers extra rigidity and dependability for boom operation. It embodies all of the features of the Pic Featherlite stands

listed below plus offers additional features to meet the most critical demands of amateur and professional photographers. Extremely light, constructed of Duraluminum—abrasion resistant—extends to 10 feet collapses to 25"—weight 34 oz.

Cat. No. 4708

Code [4712-57]
Price \$20.95



PIC FEATHERLITE STANDS. Light weight, compact, easily portable — holds photo floods-flash or Strobflash securely. Avail-

able in 3 models. 7' Extended, 18" Closed, Weight 1 lb. 12 oz.

Cat. No. 4707

Code [4710-77]
Price \$17.95

9' Extended, 22" Closed, Weight 2 lb. 2 oz.

Cat. No. 4709

Code [4711-97]

Price \$19.95

11' Extended, 26" Closed, Weight 2 lb. 8 oz.

Cat. No. 4711

Code [4713-17]

Price \$21.95




"GRAPHIC GRAFLEX PHOTOGRAPHY" 10th edition completely revised—edited by Morgan and Lester—invaluable reference book to amateur and professional alike.

Code [563-90] [6□253-60]
Cat. No. 5625 Price \$6.00



"PHOTOGRAPHY WITH THE GRAFLEX 22" edited by Morgan and Lester—of particular value to people owning reflex cameras and Graflex 22 cameras in particular — contains many helpful hints and many illustrations.

Code [561-95] [6□321-80]
Cat. No. 5632 Price \$3.00



SET OF 6 SEPTUMS FOR GRAFMATIC HOLDERS for 2 1/4 x 3 1/4 Grafmatic holder.

Cat. No. 1558 Price \$2.10

For 4 x 5 Grafmatic holder.

Code [151-98]
Cat. No. 1560 Price \$3.00



INDIVIDUAL SEPTUMS FOR GRAFLEX MAGAZINES AND GRAFMATIC HOLDERS. Specify septum number for Graflex magazines.

2 1/4 x 3 1/4 Code [15-23] each \$3.35




3 1/4 x 4 1/4 Code [15-29] each \$4.45

4 x 5 Code [15-33] each \$5.00

5 x 7 Code [15-36] each \$5.55

(for film only)

REPLACEMENT BACKS



REPLACEMENT GRAFLOK BACKS. This latest development in backs combines the features of both the Graphic and Graflex backs and permits both thick and thin film attachments to be used with the camera with equal ease. The Graflok back accepts only Graphic film

attachments. These are the attachments with the raised rib on the dark slide end. Supplied with Ektalite field lens, less viewing hood for 4 x 5 Pacemaker Graphic.

Code [9114-27]
Price \$21.95

Cat. No. 9115*

For 34 Pacemaker Graphic

Cat. No. 9290

Code [9214-27]

Price \$21.95

For 23 Pacemaker Graphic

Cat. No. 9289

Code [9212-22]

Price \$18.80

For 23 Pacemaker Graphic, Less Ektalite

Cat. No. 9292

Code [929-07]

Price \$13.95

REPLACEMENT GRAFLEX BACK. With the development of roll film holders and multiple magazines it became necessary to design the back that would hold these attachments. The Graflex back with slide locks was the answer. A ground glass focusing panel is held in place with slide locks and is replaced with the film attachment when the picture is

made. Graflex backs accept only Graflex film attachments. These are identified by the slot in the face of the attachments on the dark slide end. Supplied with focusing panel, with Ektalite, less viewing hood for 45 Pacemaker.

Code [9114-27]
Price \$21.95

Cat. No. 9116*

For 34 Pacemaker Graphic (Also fits Anniversary and Pre-Anniversary)

Cat. No. 9054

Code [9014-27]

Price \$21.95

For 23 Pacemaker Graphic

Cat. No. 9137

Code [919-07]

Price \$13.95

GRAFLOK BACK complete with viewing hood and Ektalite for 2 1/4 x 3 1/4 Miniature Speed

Graphic including synchronizer outlet.

Cat. No. 9297 Code [9216-22] Price \$24.95

For 2 1/4 x 3 1/4 (includes focal plane shutter synchronizer outlet) less Ektalite.

Cat. No. 9285

Code [9213-07]

Price \$20.10

For 3 1/4 x 4 1/4 Anniversary and Pre-Anniversary complete with viewing hood and Ektalite Field Lens.

Cat. No. 9298

Code [9218-56]

Price \$28.85

For 4 x 5 Anniversary complete with viewing hood and Ektalite Field Lens.


Cat. No. 9299

Code [9218-56]

Price \$28.55

*Peep sight should be kept in lowered (infinity) position when used with old style front frame finder.

FOCUSING PANELS AND VIEWING HOODS



REMOVABLE VIEWING HOOD for Graflok and Graflex focusing panels and backs—these are 4 sided, all metal hoods which open at the press of a button and close neatly and compactly.
For 4 x 5 Focusing Panels

Cat. No. 9147 Code [914-95]
 Price \$6.60

For 2 1/4 x 3 1/4 Focusing Panels

Cat. No. 9145 Code [914-50]
 Price \$6.00

For 3 1/4 x 4 1/4 Focusing Panels

Cat. No. 9146 Code [914-65]
 Price \$6.20



FOCUSING PANELS, only for Graflex backs with viewing hood.

For 4 x 5 Graflex Backs

Cat. No. 9046 Code [909-91]
 Price \$15.25

For 3 1/4 x 4 1/4 Graflex Backs


Cat. No. 9045 Code [909-91]
 Price \$15.25

For 2 1/4 x 3 1/4 Graflex Backs

Cat. No. 9142 Code [915-98]
 Price \$9.20

CONVERSION of Graflok focusing panel to include Ektalite Field Lens on new camera when originally ordered.

Cat. No. 9492 Code [943-15]
 Price \$4.85




SPRING KIT for Graphic backs, for roll holder acceptance.

For 2 1/4 x 3 1/4 Graphic Backs

Cat. No. 9295 Code [921-01]
 Price \$1.55

For 3 1/4 x 4 1/4—4 x 5 Graphic Backs

Cat. No. 9296 Code [921-01]
 Price \$1.55



FOCUSING PANEL less viewing hood for Graphic Polaroid Back—special panel constructed to allow ground glass focusing and composition when using Graphic Polaroid Back. Ground glass is set back to match image plane of Graphic Polaroid Back.

Cat. No. 9288 Code [929-07]
 Price \$13.95



GRAFLOK FOCUSING PANEL for Graflok backs—includes Ektalite Field Lens, less viewing hood.

For 4 x 5 Graflok Back

Cat. No. 9281 Code [926-66]
 Price \$10.25

For 3 1/4 x 4 1/4 Graflok Back

Cat. No. 9280 Code [926-66]
 Price \$10.25

For 2 1/4 x 3 1/4 Graflok Back

Cat. No. 9277 Code [926-11]
 Price \$9.40

SCHEDULE OF SERVICE CHARGES APPLICABLE TO DEALER — CUSTOMER-OWNED EQUIPMENT

LENS EXCHANGE (when authorized)

	Code	Price
Exchanging lenses when authorized in advance by GRAFLEX and where no special fittings are involved.	[012-25]	\$ 3.00
For supplying and installing new focusing scales and refocusing camera in connection with above exchange. Lensboards in connection with above exchange: When boards as received are immediately usable as new and an identical board is required, an even exchange will be made. If the returned board is not immediately usable as new or is not in new stock condition, then it should be returned to the customer as his property and a new one supplied and billed at the established price therefore.		
For re-mounting of solenoids and re-synchronizing:		
Where wood or Pacemaker Board is involved.....	[021-50]	2.00
Where heavy metal board is involved.....	[032-25]	3.00
For cutting and fitting lens to wood lensboard.....	[041-05]	1.40
For cutting and fitting to Pacemaker lensboard.....	[051-05]	1.40
For cutting and fitting to heavy metal lensboard.....	[061-80]	2.40
For fitting to Pacemaker listed pre-cut boards (cost of board additional).....		No Charge
For re-synchronization of rangefinders in connection with exchange of lenses.....	[072-25]	3.00
If a lens of different focal length is fitted and the camera is equipped with Hugo Meyer Rangefinder, the \$3.00 figure will not apply as this change will necessitate servicing and adjusting by Hugo Meyer and Co.		
Drill and tap yokes and guides for scales on early model GRAPHIC Cameras.....	[081-95]	2.60

OTHER LENS, FOCUSING SCALE AND FITTING SERVICE CHARGES

Cat. No.			
9475	Cut Pacemaker or wood lensboard to accept customer's lens.....	[941-05]	1.40
9476	Cut Graphic View lensboard to accept customer's lens.....	[941-80]	2.40
9477	Supply and fit engraved focusing scale for customer's lens.....	[942-25]	3.00
9478	Supply engraved focusing scale for new Ektar or Optar lens being purchased from Graflex, but not fitted to a camera.....	[941-50]	2.00
9481	Supply and fit two infinity stops.....	[94-80]	1.10
9479	Fit Graflex supplied additional lens to lensboard. Supply and fit focusing scales and fit infinity stops (stops cost additional)	[941-80]	2.40
9482	Adjustable body release arm for No. 1, 2 and 3 Graphex shutters on Graphic "45" (No. 1 shutter must be rotated on lensboard)	[943-71]	4.95
	Fitting GRAFLOK or GRAFLEX Backs to Anniversary and Pacemaker Models (2 1/4 x 3 1/4, 3 1/4 x 4 1/4 and 4x5)	[091-05]	1.40
	Fitting metal back frame to 4x5 Pre-Anniversary Models where original back was wood construction (4x4 lensboard models only).....	[103-30]	4.40
	(Cost of back additional) applied to fitting GRAFLOK and GRAFLEX Backs.		
	Resetting infinity stops and scales when required in connection with above.....	[111-35]	1.80
	Fitting Pacemaker Optical Viewfinder with clip to GRAPHIC Models (2 1/4 x 3 1/4, 3 1/4 x 4 1/4 and 4x5) (Finder cost additional).....	[121-35]	1.80
	Fitting No. 2752 and No. 2553 encircling bracket to 3 1/4 x 4 1/4 and 4x5 Anniversary (Including new inserts) (Cost of bracket additional).....	[132-55]	3.40
	Fitting No. 2754 Battery Case Mounting Plate to Kalart Rangefinder where finder plate is not drilled...	[141-05]	1.40
	Fitting Brackets, 2753, 2756, 2755, 2553, 2552, 2551 to camera either GRAPHIC or GRAFLEX and where no special fitting is involved (cost of bracket additional).....	[151-05]	1.40
	SPECIAL PACEMAKER GRAPHIC "45" FOCAL PLANE SHUTTER installation to produce speeds of 1/1000, 1/750, 1/500, 1/375, 1/60, 1/30		
	Additional cost on new cameras in lots of 3, each.....	[167-50]	11.85
	Installation in customer's camera, each.....	[1715-90]	21.20
	Special Conversion of Revolving Graflok Back from Graflex to Graflok, with viewing hood, or new or customers' 4x5 Revolving Back Super D Graflex Cameras. Accomplished only at a Graflex Serv. Dept.	[1834-09]	45.45
	Revolving Graflok Back, with viewing hood, for 4x5 Graflex Cameras not sent to Graflex for Conversion	[1947-59]	63.45

SCHEDULE OF SERVICE CHARGES APPLICABLE TO DEALER — CUSTOMER-OWNED EQUIPMENT

CAMERAS AND ADDITIONAL LENSES

Condition 1. GRAFLEX-supplied camera and GRAFLEX-supplied additional lens.	Code	Price
a) Supply proper lensboard.....		Charge
b) Fit GRAFLEX-supplied lens to lensboard, supply and fit focusing scales.....	[91-80]	\$2.40
c) Supply infinity stops—Anniversary-type—each.....	[9-54]	.72
Pacemaker-type—each.....	[9-40]	.55
d) Fitting infinity stops.....		No Charge
e) Viewfinder mask (except for W.A. lens) page J-4.....	[9-20]	.30
Condition 2. Customer's GRAFLEX-made camera sent in for fitting with GRAFLEX-supplied lens.		
a) Supply proper lensboard.....		Charge
b) Fit GRAFLEX-supplied lens to lensboard, supply and fit focusing scales.....	[91-80]	2.40
c) Supply infinity stops—Anniversary-type—each.....	[9-54]	.72
Pacemaker-type—each.....	[9-40]	.55
d) Fitting infinity stops.....		No Charge
e) Viewfinder mask (except for W.A. lens) page J-4.....	[9-20]	.30
Condition 3. GRAFLEX-supplied camera with customer's extra lens complete with flange or lock nut.		
a) Supply proper lensboard.....		Charge
b) *Supply and fit focusing scales regular, telephoto and wide angle.....	[92-25]	3.00
c) Fit additional lens to board:		
Cutting and fitting to wood board.....	[91-05]	1.40
Cutting and fitting to Pacemaker board.....	[91-05]	1.40
Cutting and fitting to heavy metal board.....	[91-80]	2.40
Fitting Ilex Acme Synchro Shutter, including insulation, to Pacemaker lensboard.....	[91-05]	1.40
Fitting to listed pre-cut Pacemaker Board.....		No Charge
d) *Supply infinity stops—Anniversary-type—each.....	[9-54]	.72
Pacemaker-type—each.....	[9-40]	.55
e) Fitting infinity stops.....		No Charge
f) Viewfinder mask (except for W.A. lens) page J-4.....	[9-20]	.30
Condition 4. Customer's GRAFLEX-made camera sent in with customer's lens complete with flange or lock nut		
a) Supply proper lensboard.....		Charge
b) *Supply and fit focusing scales regular, telephoto and wide angle.....	[92-25]	3.00
c) Fitting customer's lens to board:		
Cutting and fitting to wood board.....	[91-05]	1.40
Cutting and fitting to Pacemaker board.....	[91-05]	1.40
Cutting and fitting to heavy metal board.....	[91-80]	2.40
Fitting Ilex Acme Synchro Shutter, including insulation, to Pacemaker lensboard.....	[91-05]	1.40
Fitting to listed pre-cut Pacemaker Board.....		No Charge
d) *Supply infinity stops—Anniversary-type—each.....	[9-54]	.72
Pacemaker-type—each.....	[9-40]	.55
e) Fitting infinity stops.....		No Charge
f) Viewfinder mask (except for W.A. lens) page J-4.....	[9-20]	.30
Re-synchronization of rangefinders in connection with above and where no change in cam is required	[92-25]	3.00

If a lens of different focal length is fitted and the camera is equipped with Hugo Meyer Rangefinder, the \$3.00 figure will not apply as this change will necessitate servicing and adjusting by Hugo Meyer and Company.

*The Pacemaker GRAPHICs will accept multiple sets of focusing scales and infinity stops, depending upon the combination of the focal lengths of the lenses. Multiple sets of scales are not recommended for Pre-Pacemaker GRAPHIC Cameras.

For Charges Covering Cams for Graphic Rangefinder See Section J

MISCELLANEOUS CHARGES

KODAK EKTALITE FIELD LENSES

Ektalite Field Lenses installed by Graflex including refocusing as required.

Cat. No.		Code	Charge
9404	Supply and install Ektalite Field Lens in 2 1/4 x 3 1/4 R.B. GRAFLEX Camera.....	[949-38]	\$12.50
9405	Supply and install Ektalite Field Lens in 3 1/4 x 4 1/4 R.B. GRAFLEX Camera.....	[949-38]	12.50
9406	Supply and install Ektalite Field Lens in 4 x 5 R.B. GRAFLEX Camera.....	[949-38]	12.50
9407	Supply and install Ektalite Field Lens in 5 x 7 R.B. GRAFLEX Camera.....	[9413-13]	17.50

The following 4 listings permit customer installation requiring refocusing of the ground glass at the top of the camera.

9034	Ektalite Field Lens only for 2 1/4 x 3 1/4 R.B. GRAFLEX Camera.....	[906-75]	9.00
9035	Ektalite Field Lens only for 3 1/4 x 4 1/4 R.B. GRAFLEX Camera.....	[907-20]	9.60
9036	Ektalite Field Lens only for 4 x 5 R.B. GRAFLEX Camera.....	[907-20]	9.60
9037	Ektalite Field Lens only for 5 x 7 R.B. GRAFLEX Camera.....	[9010-31]	13.75

The following 4 listings cover factory conversions of Graflex Focusing Panels.

9492	Service Charge to convert Graflex "23" focusing panel on new camera when ordered to include Ektalite Field Lens.....	[943-15]	4.85
9486	Conversion of customer's 2 1/4 x 3 1/4 Graflex Focusing Panel to include Ektalite Field Lens.....	[944-50]	6.00
9487	Conversion of customer's 3 1/4 x 4 1/4 Graflex Focusing Panel to include Ektalite Field Lens.....	[944-88]	6.50
9488	Conversion of customer's 4 x 5 Graflex Focusing Panel to include Ektalite Field Lens.....	[944-88]	6.50

The following 3 listings require precision milling for installation of the field lens unless lens is supplied as replacement.
(note that the field lens does not replace the ground glass, but is used with the existing ground glass.)

9088	Ektalite Field Lens for 2 1/4 x 3 1/4 GRAFLOK Focusing Panels.....	[902-36]	3.15
9098	Ektalite Field Lens for 3 1/4 x 4 1/4 GRAFLOK Focusing Panels and GRAFLEX and GRAPHIC Focusing Panels of Pacemaker and GRAPHIC View II Cameras (3 1/4 x 4 1/4 backs).....	[902-36]	3.15
9099	Ektalite Field Lens for 4x5 GRAFLOK Focusing Panels and GRAFLEX and GRAPHIC Focusing Panels of Pacemaker and Graphic View II Cameras (4x5 backs).....	[902-36]	3.15

SUPPLIES FOR PACEMAKER GRAPHICS

9192	Blank focusing scales including index scale, mounting plates and screws.....	[91-82]	1.10
9193	Engraved, unlined focusing scales for wide angle lens. Includes scales, index scales, plate and screws.....	[91-82]	1.10
9194	Engraved, unlined focusing scale for 101-107mm lenses with index scale, plate and screws..	[91-82]	1.10
9195	Engraved, unlined focusing scale for 124-129mm lenses with index scale, mounting plate and screws.....	[91-82]	1.10
9196	Engraved, unlined focusing scale for 125-152mm lenses with index scale, mounting plate and screws.....	[91-82]	1.10
9197	Engraved, unlined focusing scale for 152mm-25cm lenses with index scale, mounting plate and screws.....	[91-82]	1.10
9198	Engraved, unlined focusing scale for lenses over 25cm (10"), including index scale, mounting plate and screws.....	[91-82]	1.10
9352	Metal Depth of Field Plate for 127mm lens.....	[931-00]	1.50
9353	Metal Depth of Field Plate for 135mm lens.....	[931-00]	1.50
9445	Part Kit A—Masks, infinity stops and focusing scales for Pacemaker Graphic Cameras.....	[9416-76]	23.50
9444	Flexible framefinder with adjustable peepsight kit for pre-1955 production Pacemaker Graphic Cameras.....	[945-63]	7.50
	Installation of above at a Graflex Service Department.....	[941-35]	1.80

GRAFLARGER REPLACEMENT PARTS

	"23"	"34"	"45"		
Tube*	31956-P1	31957-P1	*31958-P1	31958-P2**	[319-00] 12.00
Base	31951-P1	31953-P1	31955-P1	31955-P2	[311-88] 2.50
Top	31950-P1	31952-P1	31954-P1	31954-P2	[311-50] 2.00

*Vari-Grid (blue-green).

**35W (white).

5630	New Subscription to Service Parts Manual.....	\$25.00
5631	Renewal Subscription to Service Parts Manual.....	\$15.00

MISCELLANEOUS CHARGES

KODAK EKATITE FIELD LENSES

Ektalite field lenses installed by Graflex including reticulating as required.

Charge	Code	Description
12.50	[949-58]	Supply and install Ektalite field lens in 1/2x3 1/2 E.S. GRAFLEX Camera
12.50	[949-58]	Supply and install Ektalite field lens in 3/4x2 1/2 E.S. GRAFLEX Camera
12.50	[949-58]	Supply and install Ektalite field lens in 4 x 5 E.S. GRAFLEX Camera
12.50	[949-58]	Supply and install Ektalite field lens in 5 x 7 E.S. GRAFLEX Camera
9.00	[903-75]	Ektalite field lens only for 1/2x3 1/2 E.S. GRAFLEX Camera
9.00	[903-75]	Ektalite field lens only for 3/4x2 1/2 E.S. GRAFLEX Camera
9.00	[903-75]	Ektalite field lens only for 4 x 5 E.S. GRAFLEX Camera
12.50	[903-75]	Ektalite field lens only for 5 x 7 E.S. GRAFLEX Camera

The following 4 ratings cover factory conversion of Graflex focusing lenses.

9.00	[949-58]	Service Charge to convert Graflex "12" focusing lens to include Ektalite field lens
9.00	[949-58]	Conversion of customer's 1/2x3 1/2 E.S. focusing lens to include Ektalite field lens
9.00	[949-58]	Conversion of customer's 3/4x2 1/2 E.S. focusing lens to include Ektalite field lens
9.00	[949-58]	Conversion of customer's 4 x 5 E.S. focusing lens to include Ektalite field lens

The following 5 ratings include precision milling for installation of the field lens when lens is supplied as replacement. Note that the field lens does not replace the ground glass, but is used with the existing ground glass.

3.75	[903-80]	Ektalite field lens for 1/2x3 1/2 GRAFLEX focusing lens
3.75	[903-80]	Ektalite field lens for 3/4x2 1/2 GRAFLEX focusing lens and GRAFLEX focusing lens of 1/2x3 1/2 and GRAFLEX View II Camera (1/2x3 1/2)
3.75	[903-80]	Ektalite field lens for 4x5 GRAFLEX focusing lens and GRAFLEX focusing lens of 1/2x3 1/2 and GRAFLEX View II Camera (4x5)

SUPPLIES FOR FACEMAKER GRAPHIC?

1.10	[91-83]	Blank focusing scale, including index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for wide angle lens, including index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for 101-107mm lenses with index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for 124-125mm lenses with index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for 125-127mm lenses with index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for 135mm lenses with index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for 135mm-137mm lenses with index scale, mounting plate and screws
1.10	[91-83]	Engraved, ruled focusing scale for lenses over 137mm, including index scale, mounting plate and screws
1.50	[921-00]	Metal Depth of Field Plate for 127mm lens
1.50	[921-00]	Metal Depth of Field Plate for 135mm lens
12.50	[949-58]	Full E.S. Mount, infinity stop and focusing scale for Facemaker Graphic Camera
1.50	[949-58]	Facile transducer with adjustable parallax for pre-1953 production Facemaker Graphic Camera
1.50	[949-58]	Installation of cover on a Graflex Service Department

GRAFLEX REPLACEMENT PARTS

Code	Part	Price
31930-71	31930-71	1.00
31931-71	31931-71	1.00
31932-71	31932-71	1.00
31933-71	31933-71	1.00
31934-71	31934-71	1.00
31935-71	31935-71	1.00
31936-71	31936-71	1.00
31937-71	31937-71	1.00
31938-71	31938-71	1.00
31939-71	31939-71	1.00
31940-71	31940-71	1.00
31941-71	31941-71	1.00
31942-71	31942-71	1.00
31943-71	31943-71	1.00
31944-71	31944-71	1.00
31945-71	31945-71	1.00
31946-71	31946-71	1.00
31947-71	31947-71	1.00
31948-71	31948-71	1.00
31949-71	31949-71	1.00
31950-71	31950-71	1.00
31951-71	31951-71	1.00
31952-71	31952-71	1.00
31953-71	31953-71	1.00
31954-71	31954-71	1.00
31955-71	31955-71	1.00
31956-71	31956-71	1.00
31957-71	31957-71	1.00
31958-71	31958-71	1.00
31959-71	31959-71	1.00
31960-71	31960-71	1.00
31961-71	31961-71	1.00
31962-71	31962-71	1.00
31963-71	31963-71	1.00
31964-71	31964-71	1.00
31965-71	31965-71	1.00
31966-71	31966-71	1.00
31967-71	31967-71	1.00
31968-71	31968-71	1.00
31969-71	31969-71	1.00
31970-71	31970-71	1.00
31971-71	31971-71	1.00
31972-71	31972-71	1.00
31973-71	31973-71	1.00
31974-71	31974-71	1.00
31975-71	31975-71	1.00
31976-71	31976-71	1.00
31977-71	31977-71	1.00
31978-71	31978-71	1.00
31979-71	31979-71	1.00
31980-71	31980-71	1.00
31981-71	31981-71	1.00
31982-71	31982-71	1.00
31983-71	31983-71	1.00
31984-71	31984-71	1.00
31985-71	31985-71	1.00
31986-71	31986-71	1.00
31987-71	31987-71	1.00
31988-71	31988-71	1.00
31989-71	31989-71	1.00
31990-71	31990-71	1.00
31991-71	31991-71	1.00
31992-71	31992-71	1.00
31993-71	31993-71	1.00
31994-71	31994-71	1.00
31995-71	31995-71	1.00
31996-71	31996-71	1.00
31997-71	31997-71	1.00
31998-71	31998-71	1.00
31999-71	31999-71	1.00

*Yellow (blue-green)
**32W (white)

25.00	Renewal Subscription to Service Parts Manual
25.00	Renewal Subscription to Service Parts Manual